Herpetologica, 56(4), 2000, 523–530
© 2000 by The Herpetologists' League, Inc.

INDEX TO SCIENTIFIC NAMES

HERPETOLOGICA

Volume 56 December 2000

Abies balsamea 423
Acacia tortuosa 40
Acheta domesticus 482
Acris crepitans 320, 415–416, 420
Acrochordus 328
  javanivus 325, 327, 329
Adesmia sp. 513
Afrixalus brachycnemis 214, 221–222
  fornasinii 214, 221–222
Agkistrodon bilineatus 325, 327, 329
  contortrix 171
  piscivorus 325, 327, 329
Aglyptodactylus 213, 217
  madagascariensis 214–216, 221–222
Ahaetulla prasina 325, 327, 329
Alsophis cantherigerus 325, 327, 329
  portoricensis 325, 327, 329
Ambystoma 341
  talpoideum 146
  tigrinum 415–416, 418
  tigrinum nebulosum 420
Ameiva undulata 506
Amolops afghanus 232, 238
  chunganensis 231, 238
  granulosus 232–233, 236, 238
  hainanensis 238
  hongkongensis 236, 238
  jinjiangensis 231–233, 236–238
  kangtingensis 231–233, 236–238
  liangshanensis 231–233, 236–238
  lifanensis 232–233, 236, 238
  loloensis 232–233, 236, 238
  macrorhynchus 231, 238
  mantzorum 231–233, 235–236, 238
  menyangensis 232, 238
  ricketii 236
  ricketti 232, 238
  torrentis 238
  tuberodepressus 231–**232**, 233–236
  viridimaculatus 232, 235–236, 238
  wuyiensis 236, 238
Amphiesma stolata 325, 327, 329
Aneides flavipunctatus 415–416
  flavipunctatus flavipunctatus 420
  flavipunctatus niger 420
  lugubris 415–416, 420
Anguilla rostrata 363
Anolis 41, 205
  megapholidotus 506
Antillophis parvifrons 325, 327, 329
Arizona elegans 325, 327, 329
Arrhyton callilaemum 325, 327, 329
  exiguum 325, 327, 329
  funereus 325, 327, 329
  taeniatum 325, 327, 329
Arthroleptis 213, 217
  sp. 214, 221–222
  variabilis 214–216, 221–222
Ascaphus truei 415–416, 420
Asplenium 285, 291
Astydamia latifolia 71
Atelopus angelito 310–311
  balios 320
  bomolochos 308, 310–311, 317, 319, 323
  boulengeri 305, 323
  carinatus 304
  carrikeri 305, 320, 324
  certus 320
  chiriquiensis 214, 221–222
  cruciger 320
  ebenoides 305
  ebenoides marinkellei 320
  elagans 320
  eusebianus 305, 310–311, 320
  exigua 309–310, 319
  exiguus 303–304, 306–312, 314–321, 324
  famelicus 320
  farci 320
  flavescens 319–320
  ignescens 303–312, 314, 317–321, 324
  ignescens exigua 309–310
  ignescens ignescens 304
  laetissimus 320
  laevis 304, 309
  leoperezii 305, 320
  minutulus 320
  muisca 310–311, 320
  nahumae 320
  nicefori 320
  peruensis 278, 310–311, 320
  pictiventris 320
  pulcher 320
  quimbaya 320
  sernai 320
  simulatus 320
  sonsonensis 320
  spumarius 320
  subornatus 320
  tricolor 320
  varius 320–321
  zeteki 320
Atheris 328
  squamigera 325, 327, 329
Atractaspis corpulenta 325, 327, 329
Atractus trilineatus 325, 327, 329
Atropoides nummifer 325, 327, 329
Avicennia germinans 437
Baccharis 278
Batrachoseps attenuatus 415–416, 420
Bitis arietans 325, 327, 329

Boa 489
constrictor 325, 327, 329
Boana 251
Boiga irregularis 166–167
jaspida 325, 327, 329
multimaculata 325, 327, 329
nigriceps 325, 327, 329
Bolitoglossa mulleri 254
subpalmata 140
Bombina variegata 161–162
Boophis 213, 217
madagascariensis 214–216, 221–222
Bothriechis aurifer 254
Bothrops atrox 325, 327, 329
Brachymeles bicolor 100
wrighti 100
Breviceps 210
Buergeria japonica 214–216, 221–222
robusta 214–216, 221–222
Bufo 189, 193
boreas 415–416
boreas boreas 420
bufo 135
cognatus 415–416, 420
cophotis 278
macrocristatus 254
margaritifer 320
marinus 34, 320, 415–416, 418, 420
typhonius 320
valliceps 214, 221–222
Bulbophyllum 290
Bungarus magnimaculatus 269
Bursera simaruba 437
Caesalpinia crista 437
Caiman crocodilus yacare 131
Cakile lanceolata 434
Calamaria gervasii 325, 327, 329
Calloselasma rhodostoma 325, 327, 329
Callulops slateri 214, 221–222, 293
Caloplaca sp. 514
Canarium 290
Caracolus caracola 380
Cardioglossa 217
Caretta caretta 343–344, 357, 363, 433, 435
Carphophis amoena 325, 327, 329
Casearia tremula 39
Casuarina 388
Causus 328
rhombeatus 325, 327, 329
Cenchrus ciliaris 71
Centrolene altitudinale 297
andinum 297
ballux 302
buckleyi 302
geckoideum 300–301
gorzulae 297
gorzulai 294–295, 297, 300
helodermatum 302
lynchi 302
papillahallicum 294–**295**, 296–301
parvulum 300
peristicta 300
peristictum 301–302
pipilatum 302
prosoblepon 300–301
savagei 302
scirtetes 302
sp. 302
venezuelense 297
Centrolenella 193
auyantepuiana 295
pulidoi 295
Cerastes vipera 325, 327, 329
Cereus repandus 39–40
Chalcides ocellatus 487
Chalcorana 82, 101
Chamaedaphne calyculata 423
Chamaeleo chamaeleon 387
Charina 328
bottae 325, 327, 329
Chelonia mydas 349, 351, 357–358, 361, 435–436
Chelydra serpentina 1–2, 372, 423
Chirixalus eiffingeri 214–216, 221–222
idiooticus 214, 221–222
Chiromantis xerampelina 214–216, 221–222
Chironius carinatus 325, 327, 329
cinnamomeus 325, 327, 329
Chrysemys picta 372, 421–422
Chrysopelea ornata 325, 327, 329
Clelia rustica 325, 327, 329
Clonophis kirtlandi 325, 327, 329
Cnemidophorus 394
exsanguis 53–54
gularis 54, 395–400
gularis septemvittatus 45–46
inornatus 53–54
murinus 38–39, 41–42
neomexicanus 54
neotesselatus 46, 53
perplexus 54
sexlineatus 46, 53–54
tesselatus 45–54
tigris 43, 54
tigris marmoratus 45–46
Coccoloba uvifera 437
Cochranella bejaranoi 302
geijskesi 294
nola 302
oyampiensis 294
spiculata 302
Colostethus inguinalis 162
pratti 214, 221–222
Coluber constrictor 325, 327, 329, 480
ventromaculatus 325, 327, 329
Conocarpus erecta 437
Copiula sp. nov. 214, 221–222
Coraderia sp. 513
Cordylus coerulopunctatus 395
cordylus 395–398
giganteus 399–400
lawrenci 395
macropholis 400
namaquensis 395
niger 395
peersi 395
polyzonus 399
tropidosternum 395–396
vittifer 395

Crinea georgiana 415
Crinia georgiana 416, 420
Crotalus atrox 171
cerastes 325, 327, 329
lepidus 325, 327, 329
scutulatus 325, 327, 329
viridis 325, 327, 329
Crotaphatrema bornmuelleri 77–80
lamottei 77–80
***tchabalmbaboensis* 77**, 78–80
Cryptocarya 290
Ctenosaura clarki 400
Cupressus 388
Cyclorana platycephala 415–416, 420
Daboia russelii 325, 327, 329
Daphnia magna 141
Darlingtonia haetiana 325, 327–329
Dendrelaphis caudolineata 325, 327, 329
Dendrobates auratus 159
speciosus 214
speciousus 221–222
Dendrobium 290
Desmognathus carolinensis 136
fuscus 415–416
fuscus fuscus 420
ocoee 136, 140–141
Diadophis punctatus 325, 327, 329
Didierea 493
Didynamipus sjoestedti 319
Dinodon semicarinatum 325, 327, 329
semicarinatus 268
Diplodactylus 205
Dipsas catesbyi 325, 327, 329
Drosophila 140
Drymarchon corias 325, 327, 329
Drymoluber dichrous 325, 327, 329
Dryocalamus trivirgatus 325, 327, 329
Ebenavia 497
Echinops telfairi 497
Echium aculeatum 71
Egernia 481, 486
Elaphe 171
guttata guttata 430
longissima 121
obsoleta obsoleta 175–176, 186
scalaris 325, 327, 329
Eleocharis smallii 423
Eleutherodactylus 273, 276
anemerus 283
angelicus 375
araiodactylus 283
atrabracus 283
berkenbuschii 244
cajamarcensis 283
colodactylus 283
cooki 375–384
coqui 375–377, 379–380, 382–383
cryptomelas 283
jasperi 375
melanogaster 283
nigrovittatus 283
orestes 283
pataikos 283
phoxocephalus 283
pinguis 278, 283
portoricensis 375
rhodoplichus 283
serendipitus 283
unistrigatus 278, 283
xucanebi 254
Emydoidea blandingii 367, 423
Enhydris bocourti 325, 327, 329
chinensis 325, 327, 329
enhydris 325, 327, 329
jagori 325, 327, 329
Ensatina eschscholtzi 416
eschscholtzi 415, 420
Entechinus semicarinatus 325, 327, 329
Epicrates striatus 325, 327, 329
Eretmochelys imbricata 435
Erithalis fruticosa 39
Erpeton tentaculatum 325, 327, 329
Eucalyptus 388
Eumeces fasciatus 487
inexpectatus 487
laticeps 400, 487
Euphorbia balsamifera 71
obtusifolia 71
Eurycea junaluska 339
longicauda 341
multiplicata griseogaster 339
nana 339
neotenes 339
quadridigitata 333
sosorum 339
tynerensis 339
wilderae 339
Farancia abacura 325, 327, 329
Felis rufus 437
Festuca hieronymi 513
Ficus 290, 497
cordata cordata 403
Furcifer oustaleti 498
Gallotia atlantica 63–64, 66–69, 71–71, 74
atlantica atlantica 72–73, 76
atlantica delibesi 73
atlantica ibagnezi 73
atlantica laurae 73
atlantica mahoratae 72, 76
galloti 63–64, 66–69, 71–71, 74
galloti caesaris 72–73, 76
galloti eisentrauti 72–73, 76
galloti galloti 72–73, 76
galloti gomerae 72–73, 76
galloti insulanagae 64, 72–73, 76
galloti palmae 72–73, 76
goliath 63, 66–68, 74
goliath goliath 76
***intermedia* 63–65**, 66–74
maxima 63
simonyi 63–64, 66–69, 71–73
simonyi gomerana 74
simonyi machadoi 76
stehlini 63–64, 66–69, 71–73, 74
stehlini stehlini 64, 76
Gastrophryne carolinensis 214–216, 221–222
Gastrotheca peruana 278
Geochelone radiata 497

yniphora 497
Gerrhosaurus flavigularis 396
major 395
validus 395, 397
Gonyosoma oxycephalum 325, 327, 329
Gryllus integer 27
Gyrinophilus palleucus 332
porphyriticus 332–334, 336–341
porphyriticus dunni 334
subterraneus 332
Heleioporus eyrei 415–416, 420
Heleophryne purcelli 214–216, 221–222
Helicops angulatus 325, 327, 329
Hemidactylium scutatum 333
Hemidactylus mabouia 59
Hemisus 209–210, 213, 215
marmoratum 214, 221–222
Heterixalus boettgeri 214, 221–222
tricolor 214, 221–222
Heterodon platirhinos 325, 327, 329
simus 325, 327, 329
Heteroliodon boettger 489
lava 489, **494**–498
occipitalis 489–494, 497–499
torquatus 490–491
Homalopsis buccata 325, 327, 329
Huia 236
Hyalinobatrachium 300–301
crurifasciatum 295
fleischmanni 294–295
orientale 295
revocatum 295
taylori 294–295, 297
Hydrodynastes gigas 325, 327, 329
Hyla 193
bistincta 239–241, 244, 248–249
boans 251, 446
bogertae 248
***calthula* 239**–241, 243–250
calvicollina 244
cembra 244
charadricola 244
chryses 244
chrysoscelis 35, 162
cinerea 162, 415–416, 420
crassa 248
dendrophasma 250–**251**, 252–256
echinata 250–251, 254–255
faber 452
fimbrimembra 251–252, 254
gratiosa 28, 162, 415–416, 420, 452, 466
labedactyla 244
melanomma 506
miliaria 250–251, 254
minera 251–252, 254–255
mykter 244
pachyderma 244
pentheter 239–241, 243–244, 248–250
regilla 28, 34, 162, 415–416
regilla cascadae 420
robertsorum 248
rosenbergi 159, 162, 251, 446–453
sabrina 244
salvaje 251–252, 254
siopela 248
smithi 506
thysanota 251, 254
tuberculosa 251, 254
valancifer 251, 254–255
versicolor 27–30, 32–36, 415–416, 420
Hylella cappellei 295
Hymenocallis latifolia 437
Hyparrhenia hirta 71
Hyperolius 213
argus 214–216, 221–222
marmoratus 162
marmoratus broadleyi 27
puncticulatus 214, 221–222
viridiflavus 159
viridiflavus mariae 214–216, 221–222
Hypnale hypnale 325, 327, 329
Hypogeomys antimena 497
Hypsirhynchus ferox 325, 327, 329
Ialtris dorsalis 325, 327, 329
Ipomoea pes-caprae 434
Ithycyphus miniatus 489
Kaloula kalingensis 99
rigida 100
Kassina maculata 214, 221–222
senegalensis 214, 221
senegalsensis 222
Kleinia neriifolia 71
Lacerta lepida 73
Lactuca sativa 482
Laguncularia racemosa 437
Lampropeltis calligaster 325, 327, 329
mexicana alterna 171
Lamprophis fuliginosus 325, 327, 329
Larrea 513
Latimeria chalumnae 222
Lavandula buchii 71
Leioheterodon 490
modesta 498
Lemaireocereus griseus 40
Lepidophyma flavimaculatum 394
Leptodactylus 193
pentadactylus 451
Leptopelis 213, 217
argenteus 214, 221–222
concolor 214–216, 221–222
vermiculatus 214–216, 221–222
Leptophis ahaetulla 325, 327, 329
mexicanus 325, 327, 329
Limnonectes 154, 163–164
macrocephalus 99
Liolaemus andinus 509
austromendocinus 508–510, 514–516
capillitas 508–509, 513–514, 516
chiliensis 507, 509, 512, 514
elongatus 507–510, 513–516
famatinae 514
heliodermis 507, **509**–510, 512–516
lutzae 59, 61
pagaburoi 513
petrophilus 508–510, 513–514, 516
quilmes 513
ramirezae 513
signifer 512

therarum 508
thermarum 508–510, 514, 516
Liophidium vaillanti 489
Liophis milliaris 325, 327, 329
poecilogyrus 325, 327, 329
viridis 325, 327, 329
Lipinia pulchella levitoni 100
Lithocarpus 290
Litoria caerulea 415–416, 420
moorei 415–416, 420
rubella 415–416, 420
Lotus sessilifolius 71
Lycodon laoensis 325, 327, 329
Lycodryas gaimardi 489
Lystrophis dorbingi 325, 327, 329
Mabuya 481
acutilabris 487
frenata 59
striata sparsa 487
Mantella aurantiaca 214–216
aurantica 221–222
Mantidactylus guttulatus 214–216, 221–222
Masticophis lateralis 325, 327, 329
Matoatoa 497
Megophrys giganticus 235
lateralis 235
omeimontis 235
Meristogenys 236
Mertensiella luschani 145
Micruroides euryxanthus 325, 327, 329
Miopelodytes 105
Myoporum 388
Naja annulifera 268–269
annulifera anchietae 259
atra 257–259, 262, 264, 267–268
haje anchietae 259
kaouthia 257–261, 264, 267–269
mandalayensis 258–**260**, 261–269
mossambica 259, 268–269
naja 257, 262, 264, 269, 325, 327, 329
oxiana 262, 269
philippinensis 262
sagittifera 263
samarensis 262
siamensis 257–259, 262, 264, 267–269
sputatrix 262
sumatrana 262
Natator depressus 357
Neobatrachus kunapalari 415–416, 420
pelabatoides 214–216, 221–222, 415–416, 420
wilsmorei 415–416, 420
Neochamaelea pulverulenta 71
Neofiber alleni 437
Nerodia sipedon 36
Nesomantis thomasseti 188–191, 193, 215–216, 221–222
thomassetti 190, 195
Nesomatnis thomasseti 214
Niveoscincus coventryi 196–197, 199–201, 204–208
greeni 196–198, 200–202, 204, 206–208
metallicus 196–197, 199–204, 206–208
microlepidotus 196–204, 206–208
ocellatus 196–198, 200–202, 204, 206–208
orocryptus 196–204, 206–208
palfreymani 196–201, 204, 206–208
pretiosus 196–198, 200–201, 203–204, 206–208
Notaden bennetti 415, 420
bennettii 416
nicholsi 415–416
nichollsi 420
Notophthalmus viridescens 135, 141, 146, 415–416
viridescens dorsalis 420
Nyctanolis pernix 254
Nyssa 340
Occidozyga laevis 214–216, 221–222
Ocypode quadrata 441
Oligodon modestus 325, 327, 329
splendidus 269
Opheodrys aestivus 325, 327, 329
Ophiophagus hannah 325, 327, 329
Oplurus cuvieri 498
Opuntia sp. 493
stricta 437
Oreophryne sp. 1 214
sp. 2 214
sp. nov. 1 221–222
sp. nov. 2 221–222
Oreophrynella 295
Osornophryne 319
Oxybelis fulgidus 325, 327, 329
Paludicola simonsii 278
Pandanus 293
Panicum amarum 437
Paragehyra 497
Pararhadinea 490–491, 493
Parastrephia phyllicaeformis 513
Passiflora suberosa 39
Pelodytes arevacus 105, 110, 113
caucasicus 105–107, 110–111, 113–114, 117
ibericus 105–110, **111**, 113–117
punctatus 105–111, 113–116, 118
Philautus mjobergi 214–216, 221–222
petersi 214–216, 221–222
cf. *surdus* 99
Philodryas burmeisteri 325, 327, 329
viridis 325, 327, 329
Philothamnus sp. 325, 327, 329
Phlyctimantis verrucossus 222
verrucosus 214, 221
Phobobates trivittatus 214, 221–222
Phrynidium laeve 304
Phryniscus ignescens 304
laevis 304
laevis var. *exigua* 303, 309–310
Phrynohyas venulosa 240
Phrynopus bagrecito 278, 281, 284
brunneus 274, 276, 278–279, 284
cophites 278, 281, 284
fallaciosus **274**–279, 282–283
flavomaculatus 273–274, 276, 278–279, 282–284
juninensis 284
kempffi 284
laplacai 284
lucida 274–276, 278–279, 284
monticola 281, 285
montium 278, 281, 285
nanus 278, 282
nebulanastes 274, 276–279, 283, 285

parkeri 274, 276–279, 283, 285
peraccae 283
peraccai 285
pereger 274, 276, 278–279, 285
peruvianus 274, 276, 278–279, 285
simonsii 273, 277–278, 281–285
Species A 274, 276, 278–279, 285
Species B 285
spectabilis 274–**279**, 280, 282–283
thompsoni 274–275, 277–278, **281**–283
wettsteini 281
Phyllobates terribilis 411
Phyllonastes heyeri 283
lynchi 283
Phyllorhynchus decurtatus 325, 327, 329
Phymaturus mallimaccii 514
Physalaemus pustulosus 27, 321, 452
Picea mariana 423
Picidia piscipula 437
Pigafetta filaris 290
Pithecellobium sp. 437
Pituophis melanoleucus 325, 327, 329
Platymantis cornutus 100
corrugatus 99
dorsalis 99
guentheri 99
hazelae 99
pygmaeus 99–100
sierramadrensis 99–100
Platysaurus broadleyi 402–403, 405–406
capensis 403
intermedius 395, 397
Plectrohyla 240, 251
acanthodes 254
Plethodon cinereus 415–416, 420
Plocama pendula 71
Podarcis dugessi dugessi 73
dugessi selvagensis 73
muralis 59
Poecilia reticulata 28
Polydontes acutangula 380
Polypedates megacephala 214–216, 221–222
Pomatoschistus minutus 28
Probreviceps macrodactylus 214–216, 221–222
Procyon lotor 433, 437
Propithecus verreauxi verreauxi 497
Prosopis juliflora 40
Psammodynastes pulverensis 325, 327, 329
Pseudemoia 196–197, 205
entrecasteauxii 198–200, 207–208
entrecastreauxii 199, 201, 204, 206
Pseudemydura umbrina 422
Pseudocerastes persicus 325, 327, 329
Pseudocordylus 399–400
capensis 395, 397
melanotus 395
microlepidotus 395
Pseudoeurycea 506
belli 244
Pseudotriton 341
montanus 332–340
montanus montanus 334
ruber 332–340, 415–416, 420
ruber ruber 334
ruber schencki 334
Pseudoxyrhopus 493, 497
occipitalis 490–491, 499
Pseustes poecilonotus 325, 327, 329
Psyllophryne didactyla 319
Ptyas mucosus 325, 327, 329
Python regius 325, 327, 329
reticulatus 325, 327, 329
Pyxis arachnoides 497
planicauda 497
Ramphotyphlops braminus 490
Rana albotuberculata 81–86, 88–90, 93, 99, 102, 104
aurora 415–416, 420
blythi 154
cancrivora 214–216, 221–222
catesbeiana 27–28, 214–216, 221–222, 415–416, 420
chalconota 81, 101
clamitans 36, 141, 162, 415–416, 420
crassiovis 101
dubita 81
erythraea 90, 104
everetti 81, 83–86, 89–90, 92–93, 100–102, 104
everetti albotuberculata 82
everetti everetti 82
everetti luzonensis 81–82, 99, 102
grandocula 90, 104
grylio 415–416, 420
guerreroi 81, 87, 101, 104
hosii 81, 101
igorota 81–90, 93, 99–102, 104
italica 121
kuhlii 153–154, 158–164
limnocharis 214–216, 221–222
luzonensis 81–89, 91–95, 99–102, 104
macrops 101
maculosa 235
mearnsi 81–82, 104
merrilli 81–82, 87, 101, 104
microdisca palavanensis 163
moellendorffi 90, 104
muscosa 415–416, 420
nicobariensis 90, 104
occipitalis 188–189, 193
palavanensis 163
pipiens 214, 221–222, 415–416, 420
raniceps 101
rugulosa 188–190, 193–194
sanguinea 90, 104
septentrionalis 135
signata 90
similis 90, 99
sp. nov. 85–89
sylvatica 135, 141
tafti 81, 87, 101
temporaria 135, 140–141
tigerina 188–189, 193
tipanan 81–82, 84–85, 88–**89**, 90–95, 97–101, 104
unculuana 235
yunnanensis 235
Randia aculeata 437
Regina rigida 325, 327, 329
septemvittata 325, 327, 329

Retama 388
Rhabdophis chrysargus 325, 327, 329
sp. 325, 327, 329
Rhacophorus anguilirostris 221–222
angulirostris 214
moltrechti 214–216, 221–222
pardalis 99
sp. 214, 221–222
Rhadinaea flavilata 325, 327, 329
Rhamphiophis oxyrhynchus 325, 327, 329
Rhamphotyphlops 489
Rhizophora mangle 437
Rhyacotriton olympicus 415–416
Rubia fruticosa 71
Ryacotriton olympicus 420
Rynchnospora alba 423
Salamandra atra 145
salamandra 14–18, 21–23, 144–146, 148–151
salamandra almanzoris 15, 17, 24
salamandra bejarae 15, 17
salamandra bernardezi 15, 17
salamandra crespoi 15, 17
salamandra fastuosa 15, 17
salamandra gallaica 15, 17, 23
salamandra longirostris 15, 17
salamandra morenica 15, 17
salamandra terrestris 15, 17
Sauromalus ater 394–399, 401
obesus 394
Scaphiopus couchii 415–416, 420, 455–456, 458–467
hammondi 415–416
hammondi hammondi 420
holbrooki 415–416
holbrooki holbrooki 420
Sceloporus graciosus 59, 475
jarrovi 400
magister 59
melanorhinus 506
mucronatus 400
occidentalis 469–470, 474, 476–477
poinsetti 400
siniferus 506
torquatus 400, 470
undulatus 59
variabilis 470
virgatus 477
Schoutedenella 217
sp. 214, 221–222
Scincella lateralis 486–487
Senticolis triaspis 325, 327, 329
Shinisaurus 500
Sinonatrix annularis 325, 327, 329
Sistrurus catenatus 325–327, 329
ravus 325, 327, 329
Smilisca baudinii 240
Sooglossus gardineri 189, 193
sechellensis 189, 193
Spalerosophis cliffordi 325, 327, 329
Spartina sp. 437
Spea multiplicata 455–456, 458–467
Sphagnum 340
spp. 422
Sphenomorphus lawtoni 100
luzonensis 100
tagapayo 100
Spinifex hirsutus 433
Stereochilus marginatus 332–341
Sternotherus odoratus 2
Suriana maritima 437, 439
Syngnathus typhle 28
Syrrhophus juninensis 273
sp. 506
Syzygium 290
Tachycnemis seychellensis 214, 221–222
Tamarindus indica 269
indicus 494
Tantilla coronata 325, 327, 329
Taudactylus diurnis 415–416, 419–420
Taxodium 340
Telescopus sp. 325, 327, 329
Telmatobius brevipes 278
Tephrodytes 105
Tepuihyla 295
Thamnodynastes strigilis 325, 327, 329
Thamnophis elegans 480–481
proximus 36
Thunnus thynnus 350
Tiliqua rugosa 480–487
scincoides 480–487
Trachemys scripta 11, 372, 422
scripta elegans 8–11
Tretanorhinus nigroluteus 325, 327, 329
Tricholaena teneriffae 71
Trimeresurus albolabris 325, 327, 329
elegans 325, 327, 329
kanburiensis 325, 327, 329
okinavensis 325, 327, 329
tokarensis 325, 327, 329
Triturus 16, 23, 130
alpestris 135–136, 138–142
alpestris inexpectatus 127
carnifex 119–122, 124, 126–128
cristatus 119, 127–128, 136, 142
dobrogicus 128
italicus 119–120, 127–128
karelinii 128
marmoratus 136, 140
vulgaris 128
vulgaris meridionalis 121
Tropidolaemus wagleri 325, 327, 329
Tropidophis canus 325, 326–327, 329
haetianus 325, 327–329
Tropidurus hispidus 55
itambere 55–61
torquatus 55
Tupinambis teguixin 59
Typhlops 330, 489
jamaicensis 325, 327, 329
richardi 325, 327, 329
Uniola paniculata 433
Uromacer catesbyi 325, 327, 329
frenatus 325, 327, 329
oxyrhynchus 325, 327, 329
Uromastyx aegyptius 394–401
Utricularia vulgaris 423
Vermetus nigricans 437
Waglerophis merremi 325, 327, 329
Xantusia henshawi gracilis 271

Xenobatrachus 292–293
Xenochrophis flavipunctatus 325, 327, 329
Xenopus laevis 211, 415–416, 420
Xenorhina ***arboricola*** **286**–293
bouwensi 285, 287
eiponis 285, 288, 293
minima 285, 287, 293
oxycephala 285–291, 293
parkerorum 285, 287
similis 285, 287–288
Xenosaurus grandis 500–503
grandis agrenon 500, 502, 505–506
grandis arboreus 500, 506
grandis grandis 500, 506
grandis rackhami 500, 506
grandis sanmartinensis 500, 506
newmanorum 500–501, 503, 506
penai 500–**501**, 502–506
platyceps 394, 400, 500–501, 503, 506
rackhami 254
rectocollaris 394, 500–501, 503, 506
Yucca aloifolia 437
Zonosaurus laticaudatus 498

Herpetologica, 56(4), 2000, 531–532
© 2000 by The Herpetologists' League, Inc.

TOPICAL INDEX

HERPETOLOGICA

Volume 56 December 2000

AGE, *Triturus alpestris* 135–144.
AGE STRUCTURE, *Tropidurus itambere* 55–62.
AGGRESSION, *Sceloporus occidentalis* 469–479.
ALLOPATRY, *Xenosaurus* ***penai*** 500–506.
ALLOZYMES, higher-level snake phylogeny 324–332; Iberian *Pelodytes* 105–118; *Triturus carnifex* (Italian populations) 119–130.
AMBUSH FORAGING, *Platysaurus broadleyi* 402–407.
ANNUAL VARIATION, *Trachemys scripta elegans* (in hatchling size) 8–13.
ANTIPREDATORY BEHAVIOR, cordyliform lizards 394–401.
BEHAVIOR, *Hyla versicolor* 27–37; *Sceloporus occidentalis* 469–479; *Tiliqua rugosa* and *T. scincoides* 480–488.
BIOGEOGRAPHY, *Triturus carnifex* (Italian populations) 119–130.
BIOMASS, *Tropidurus itambere* 55–62.
BODY SIZE, *Caretta caretta* 343–356.
BODY SIZE PLASTICITY, *Salamandra salamandra* 14–26.
BURROW, cordyliform lizards 394–401.
CHEMICAL SENSES, *Tiliqua rugosa* and *T. scincoides* 480–488.
CHORUS TENURE, *Hyla rosenbergi* (SE Costa Rica) 446–454.
CLIMATE CHANGE, *Trachemys scripta elegans* (effect on hatchling size) 8–13.
CLUTCH SIZE, *Caretta caretta* 343–356; *Cnemidophorus tesselatus* 45–54.
COLD-TOLERANCE, *Emydoidea blandingii* 367–374.
COLOR PATTERN CLASSES, *Cnemidophorus tesselatus* 45–54.
COMMUNAL HIBERNACULA, *Elaphe obsoleta obsoleta* 175–188.
COMMUNICATION, *Sceloporus occidentalis* 469–479.
COMPARATIVE METHODS, *Salamandra salamandra* 144–152.
CORRELATION, amphibians (between ventricle mass and dehydration tolerance) 413–420.
COURTSHIP BEHAVIOR, *Boiga irregularis* 166–175.
CREVICE, cordyliform lizards (behavior within) 394–401.
CYTOCHROME OXIDASE (SUBUNIT I), *Niveoscincus* 196–208.
DEHYDRATION TOLERANCE, amphibians 413–420.
DEVELOPMENT, *Scaphiopus couchii* and *Spea multiplicata* 455–468.
DIET SELECTION, *Cnemidophorus murinus* 38–45.
DISTRIBUTION, *Atelopus ignescens* complex (Ecuador) 303–324.
ECOLOGY, *Cnemidophorus tesselatus* 45–54.
EGG COLLECTION, *Chelydra serpentina* 1–7.
EGGS, *Chelydra serpentina* 1–7.
EGG SIZE, *Caretta caretta* 343–356; *Trachemys scripta elegans* 8–13.
ELECTROPHORESIS, *Triturus carnifex* (Italian populations) 119–130.
ENVIRONMENTAL CONSTRAINTS, *Chrysemys picta* (growth) 421–432.
ENVIRONMENTAL GRADIENT, *Triturus alpestris* 135–144.
EPICORACOID HORNS, *Rana rugulosa* and *Nesomantis thomasseti* 188–195.
EVOLUTION, *Cnemidophorus tesselatus* 45–54.
EVOLUTIONARY SPECIES CONCEPT, 81–104.
EXAPTATION, *Salamandra salamandra* 144–152.
FEMALE CHOICE, *Hyla versicolor* 27–37.
FEMALE REPRODUCTIVE ECOLOGY, *Rana kuhlii* 153–165.
FLEXIBLE-SHELLED EGGS, *Trachemys scripta elegans* 8–13.
FOOD LIMITED, *Chrysemys picta* (growth) 421–432.
FORAGING MODE, *Platysaurus broadleyi* 402–407.
FORAGING POPULATION, *Chelonia mydas* 357–367.
FREEZING, *Emydoidea blandingii* 367–374.
GENERAL-PURPOSE GENOTYPE HYPOTHESIS, *Cnemidophorus tesselatus* 45–54.
GENETIC DIFFERENTIATION, *Triturus carnifex* (Italian populations) 119–130.
GENETIC DISTANCES, higher-level snake phylogeny 324–332.
GEOGRAPHIC VARIATION, *Cnemidophorus tesselatus* 45–54.
GROWTH, *Chrysemys picta* 421–432; *Scaphiopus couchii* and *Spea multiplicata* 455–468.
GUARDING INTENSITY, *Chamaeleo chamaeleon* 387–393.
HATCHLING SEX RATIOS, *Caretta caretta* (SW Florida) 433–445.
HATCHLING SIZE, *Trachemys scripta elegans* 8–13.
HERBIVORY, *Platysaurus broadleyi* 402–407.
HIBERNATION, *Elaphe obsoleta obsoleta* 175–188.
HOME RANGE, *Sceloporus occidentalis* 469–479.
HORMONAL INDUCTION, *Chelydra serpentina* (oviposition) 1–7.
INCUBATION TEMPERATURES, *Caretta caretta* (SW Florida) 433–445.
KARYOTYPE, *Amolops* 231–238.
LARVAE, *Gyrinophilus porphyriticus*, *Pseudotriton*

montanus, *P. ruber*, and *Stereochilus marginatus* 332–342.
LARVAL PERIOD, *Scaphiopus couchii* and *Spea multiplicata* 455–468.
LATITUDINAL VARIATION, *Caretta caretta* 343–356.
LEARNING, *Cnemidophorus murinus* 38–45.
LIFE HISTORY, *Chelonia mydas* 357–367; *Salamandra salamandra* 14–26; *Triturus alpestris* 135–144.
MALE COMBAT BEHAVIOR, *Boiga irregularis* 166–175.
MALE MATING SUCCESS, *Hyla rosenbergi* (SE Costa Rica) 446–454.
MATE GUARDING, *Chamaeleo chamaeleon* 387–393.
METAMORPHOSIS, *Scaphiopus couchii* and *Spea multiplicata* 455–468.
MIGRATION, *Chelonia mydas* 357–367.
MINIMUM EVOLUTION, higher-level snake phylogeny 324–332.
MITOCHONRDIAL DNA, cobras of SE Asian mainland 257–270.
MIXED-STOCK ANALYSIS, *Chelonia mydas* 357–367.
MOLECULAR CHARACTERS, ranoid frogs 209–230.
MOLECULAR PHYLOGENETICS, cobras of SE Asian mainland 257–270.
MORPHOLOGY, *Caretta caretta* 343–356; Iberian *Pelodytes* 105–118; ranoid frogs 209–230; larvae of *Gyrinophilus porphyriticus*, *Pseudotriton montanus*, *P. ruber*, and *Stereochilus marginatus* 332–342.
MORPHOMETRICS, *Gallotia* 63–76.
MULTIPLE EGG CLUTCHES, *Rana kuhlii* 153–165.
MULTIVARIATE ANALYSIS, *Gallotia* 63–76.
MULTIVARIATE MORPHOMETRICS, cobras of SE Asian mainland 257–270.
NERITIC ENVIRONMENT, *Chelonia mydas* 357–367.
NEST DEPREDATION, *Caretta caretta* (SW Florida) 433–445.
NEST DIMENSIONS, *Caretta caretta* 343–356.
NESTING SITES, *Caretta caretta* (SW Florida) 433–445.
NEW SPECIES, *Amolops* ***tuberodepressus*** (Yunnan Province, China) 232; *Centrolene* ***papillahallicum*** (W Guyana) 295; *Crotaphatrema* ***tchabalmbaboensis*** (Camaroon) 77; *Gallotia* ***intermedia*** (Tenerife, Canary Islands) 65; *Heteroliodon* ***lava*** (Madagascar) 494; *Hyla* ***calthula*** (Oaxaca, Mexico) 239; *Hyla* ***dendrophasma*** (NW Guatemala) 251; *Liolaemus* ***heliodermis*** (NW Argentina) 236; *Naja* ***mandalayensis*** (Myanmar) 260; *Pelodytes* ***ibericus*** (Spain) 111; *Phrynopus* ***fallaciosus*** (N Peru) 274; *Phrynopus* ***spectabilis*** (N Peru) 279; *Phrynopus* ***thompsoni*** (N Peru) 281; *Rana* ***tipanan*** (Luzon Island, Philippines) 89; *Xenorhina* ***arboricola*** (NW Papua New Guinea) 286; *Xenosaurus* ***penai*** (SE Guerrero, México) 501.
OMNIVORY, *Tiliqua rugosa* and *T. scincoides* 480–488.
OSTEOLOGY, Iberian *Pelodytes* 105–118.
OVERWINTERING, *Emydoidea blandingii* 367–374.
OXYTOCIN, *Chelydra serpentina* (induced oviposition) 1–7.
PARENTAL CARE, *Eleutherodactylus cooki* 375–386.
PARSIMONY, higher-level snake phylogeny 324–332.
PARTHENOGENESIS, *Cnemidophorus tesselatus* 45–54.
PECTORAL GIRDLE ARCHITECTURE, *Rana rugulosa* and *Nesomantis thomasseti* 188–195.
PHENETIC CLUSTERING, higher-level snake phylogeny 324–332.
PHEROMONES, *Boiga irregularis* 166–175.
PHYLOGENETIC ANALYSIS, amphibians 413–420.
PHYLOGENETIC RELATIONSHIPS, ranoid frogs 209–230.
PHYLOGENY, higher-level snake phylogeny 324–332; *Niveoscincus* 196–208.
PLANT TOXINS, avoided by *Cnemidophorus murinus* 38–45.
PLASTICITY, *Platysaurus broadleyi* (in foraging mode) 402–407.
POPULATION DENSITY, *Tropidurus itambere* 55–62.
PREDATION RISK, *Hyla versicolor* 27–37.
PREDATION-RISK HYPOTHESIS, *Elaphe obsoleta obsoleta* 175–188.
PUSHUP DISPLAY, *Sceloporus occidentalis* 469–479.
REPRODUCTION, *Caretta caretta* 343–356.
REPRODUCTIVE BEHAVIOR, *Hyla rosenbergi* (SE Costa Rica) 446–454.
REPRODUCTIVE BIOLOGY, *Eleutherodactylus cooki* 375–386.
REPRODUCTIVE STRATEGY, *Cnemidophorus tesselatus* 45–54.
SEX RATIO, *Tropidurus itambere* 55–62.
SEXUAL SELECTION, *Eleutherodactylus cooki* 375–386.
SIZE, *Triturus alpestris* 135–144.
SKELETOCHRONOLOGY, *Salamandra salamandra* 14–26; *Triturus alpestris* 135–144.
SPRING EMERGENCE, *Elaphe obsoleta obsoleta* 175–188.
SUPERCOOLING, *Emydoidea blandingii* 367–374.
SYSTEMATICS, cobras of SE Asian mainland 257–270; *Heteroliodon* (Madagascar) 489–499.
TADPOLE, *Atelopus ignescens* complex (Ecuador) 303–324; *Hyla bistincta* group 239–250.
TAXONOMY, *Atelopus ignescens* complex (Ecuador) 303–324; *Liolaemus* ***heliodermis*** (NW Argentina) 235–244; *Pelodytes* (Iberian) 105–118; *Xenorhina* (NW Papua New Guinea) 285–294.
TEMPERATURE, *Chrysemys picta* (growth) 421–432.
TERRITORY, *Sceloporus occidentalis* 469–479.
VENTRICLE MASS, amphibians 413–420.
VIVIPARITY, *Salamandra salamandra* 144–152.
VOCALIZATIONS, *Atelopus ignescens* complex (Ecuador) 303–324; *Hyla rosenbergi* (SE Costa Rica) 446–454.